1. MOBILE PLANT EXCAVATOR

Supplier verification & Plant details	Verify Check ENVIRONMENTAL	Verify Check WARNING DEVICES Horn
Plant owner:	Verily Check Clean, free of weeds prior to arrival	Verify Check Amber flashing beacon Reversing alarm
Address:		Pivots Connecting rods Verify Check WARNING SIGNS (in cabin)
City/Suburb:	1	Safety pins (no excessive wear) Verify Check WARNING SIGNS (in cabin) SEAT BELTS MUST BE WORN
Phone:	Verify Check Hydraulics	Verify Check DANGER - BEWARE OVERHEAD WIRES & UNDERGROUND SERVICES
Plant make:	Verify Check Hydraulics Rams	
Plant model:	Hoses Connections	Verify Check CAB Cleanliness
Serial no.:	(check for excessive wear,	Cleanliness Seat condition OK Operator restraint provided
Signature	leaks and creep)	Instruments operational & labelled
Signature:	Verify Check	Levers / controls operational
Date:		Pedals in good condition
·	SWL/Crane chart	ROPS to AS 2294
		Windows / wipers / washers
 Plant to conform to manufacturer's specifications and Plant Regulations. 	Verify Check	Rear view mirrors
 Plant operator is to provide daily check sheets to Manildra on a weekly basis. 	Quick hitch Safety pins	Operator instruction (available on plant)
 Where applicable, Personal Protective Equipment must be worn. 	(where applicable)	Log Book
 Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in 	(If quick hitch is fitted	Fire extinguisher with current tag
 English. Contractor must produce proof of competence of operator, e.g., 	"NO LIFTING POINTS ALLOWED" on back of	
Certificate of Competence, Licence, detailed Log Book	bucket)	Verify Check
Manildra use only	love's	Exhaust Verify Check
Trainian doc only	Verify Check	Verify Check Engine guarding
NOTE: Sign only when all items have been checked	Rams	Tracks complete Verify Check
Plant check by:	Hoses	Idlers adjusted Handrails
Position:	Connections (check for excessive wear,	Drivers free from leaks Steps
Date: / /	leaks and creep)	Instructions:
		Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite. Check Box to be ticked after visual inspection by Manildra



SA-P-270 1.0.A 06/09/2023 Page **6** of 18


2. MOBILE PLANT ELEVATING WORK PLATFORM

Supplier verification & Plant details	Verify Check Warning devices Verify Check Basket
Plant owner:	Horn Cleanliness
Titalit Owner.	Amber flashing beacon Operator restraint Motion alarms Instruments & labeling
Address:	Raise & lower alarms Raise Transport of the first difference of the first dif
City/Suburb:	Out of level alarm Pedals
Phone:	Verify Check Hydraulics Log book Deadman switch
Plant make:	Rams Hoses Operating instructions (available on plant)
Plant model:	Connections (check for excessive
Serial no.:	wear, leaks and creep)
Signature:	Verify Check Verify Check Safety Harness & Lanyard
	Pivots Connecting Rods SEAT BELTS MUST BE WORN
Date:	Safety Pins Verify Check
SafeWork Certification – WP	(no excessive wear) DANGER – BEWARE OVERHEAD WIRES & SERVICES
Plant to conform to manufacturer's specifications and Plant Regulations.	Verify Check
 Plant operator is to provide daily check sheets to Manildra on a 	Exhaust Verify Check
weekly basis. Where applicable, Personal Protective Equipment must be worn.	Rams
 Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in 	Verify Check
English.	Levers / controls Levers / controls Connections (check for excessive wear, leaks and
 Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book 	Verify Check Check Creep)
Manildya uga anly	Engine guarding
Manildra use only	Verify Check
NOTE: Sign only when all items have been checked	Tyres Wheels
Plant check by:	Brakes
Position:	Park brake
Date: / /	Instructions:
	Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite.
	Check Box to be ticked after visual inspection by Manildra



SA-P-270 1.0.A 06/09/2023 Page **7** of 18

3. MOBILE PLANT PAD ROLLER





SA-P-270 1.0.A 06/09/2023 Page **8** of 18

4. MOBILE PLANT DOZER

Supplier verification & Plant details	Verify Check Cab	Verify Check Warning devices
	Cleanliness	Horn
Plant owner:	Seat condition OK	Amber flashing beacon < 12T
Address:	Operator restraint provided	Reversing alarm
	Instruments operational & labelled.	Warning signs (in cabin)
City/Suburb:	Levers / controls operational	Verify Check
Phone:	Pedals in good condition	SEAT BELTS MUST BE WORN
Plant malan	ROPS to AS 2294	Verify Check
Plant make:	Windows / wipers / washers	DANGER – BEWARE OVERHEAD WIRES
Plant model:	Rear view mirrors	& UNDERGROUND SERVICES
Serial no.:	Operator instruction	11-0
Seriai iio	Verify Check (Available on plant)	Verify Check
Signature:	Rams	Exhaust
Date:	Hoses	
	(check for excessive wear,	Verify Check
	leaks and creep)	CAL
 Plant to conform to manufacturer's specifications and Plant Regulations. 		Engine guarding
Plant operator is to provide daily check sheets to Manildra on a weekly basis.		- Lila
Where applicable, Personal Protective Equipment must be worn. Plant Log Book detailing service history in accordance with		
Manufacturer's specifications should be written legibly in		
English. Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book		
Certificate of Competence, Licence, detailed Log Book	No. 50 State of	
Manildra use only		-3
N C		
NOTE: Sign only when all items have been checked	Verify Check Tracks Verify Check	Verify Check
Plant check by:	Fivois	Handrails
Position:	Pins Tracks complete Connections Idlers adjusted	Steps
Date: / /	Safety pins Drivers free from leaks	Instructions:
		Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite. Check Box to be ticked after visual inspection by Manildra
		- ''y



SA-P-270 1.0.A 06/09/2023 Page **9** of 18

5. MOBILE PLANT CONCRETE BOOM PUMP

Supplier verification & Plant details	٤	Diagram of Main Components	
DI.	Verify Check Cab	Boom Pump With Slew Ring	Verify Check Boom
Plant owner:	Cleanliness	1st Caree 1 1st Hyd. 3std Hyd. 3std Stage 2std Hyd.	Pivots
Address:	Seat condition OK	Boom Cylinder Cylinder Boom Cylinder	Connecting rods
	Operator restraint provided		Safety pins
City/Suburb:	Instruments operational & labelled		(no excessive wear)
Phone:	Levers / controls operational	The Year	Verify Check Warning devices
Plant make:	Pedals in good condition ROPS to AS 2294	o Cylinder	Horn Amber flashing beacon
Plant model:	Windows / wipers / washers	A* Stage Boom	Reversing alarm
Serial no.:	Rear view mirrors Operator instruction	Boom	Emergency stops
Signature:	(available on plant)	Front Outrigger Stabiliser Pipeline Pipeline Pipeline Pamp Physical Rear Outrigger Stabiliser Stabiliser Stabiliser Stap Stap Switch Shut Off	Verify Check DANGER - BEWARE
Date:	Verify Check Verify Check		OVERHEAD POWERLINES
SafeWork Certification – PB	Engine guarding Exhaust	BOOM PUMP WITH RACK AND PINION	
Plant to conform to manufacturer's specifications and Plant Regulations. Plant operator is to provide daily check sheets to Manildra on a weekly basis Where applicable, Personal Protective Equipment must be worn. Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in English. Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book	Verify Check Rams Hoses Connections	Turret and Pinion Penion Petestal Turret and Pinion Peters and Pinion Peters and Pinion Peters and Pinion Turret and Pinion Peters and Pinion	Outriggers & rams
	(check for excessive		
Manildra use only	wear, leaks and creep)		
NOTE: Sign only when all items have been checked Plant check by:	Verify Check Slings / ropes / chains (tagged and in good working order)	Front Outrigger Stabiliser Verify Check Stabiliser Front Outrigger Stabiliser Rear Outrigger Stabiliser Fine Stabiliser	Verify Check Handrails Steps
Position:	Electrical wiring (no visual signs of	Tyres Instructions:	
Date: / /	damage) Steel or timber pads	Wheels Verify Box to be tick Brakes onsite.	ed by Owner / Supplier / Operator prior to arrival



SA-P-270 1.0.A 06/09/2023 Page **10** of 18

6. MOBILE PLANT COMPACTOR

Supplier verification & Plant details	Verify Check Cab	Warning devices
	Cleanliness	Verify Check Horn
Plant owner:	Seat condition OK	Reversing alarm
	Operator restraint provided	
Address:	Instruments operational & labeled	Verify Check Warning signs (in cabin)
City/Suburb:	Levers / controls operational	
Phone:	Pedals in good condition	Verify Check
	ROPS to AS 2294	DANGER – SAFE WORKING LIMITS ON BATTERS
Plant make:	Windows / wipers / washers	
Plant model:	Rear view mirrors	
	Operator instruction	Ratio 2 to 1
Serial no.:	(available on plant)	example only. As per manufacturer's specification
Signature:	Verify Check	Verify Check Hydraulics
	Exhaust	
Date:	Verify Check	Rams
Statement of operator competence required	Engine guarding	Connections
Plant to conform to manufacturer's specifications and Plant		(check for excessive wear,
Regulations. Plant operator is to provide daily check sheets to on a weekly	Verify Check Brakes	leaks and creep)
 basis. Where applicable, Personal Protective Equipment must be worn. 	Park brake	
Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in		
English. Contractor must produce proof of competence of operator, e.g.,		
Certificate of Competence, Licence, detailed Log Book		
Manildra use only	/g\	
Trianital a doc only		THE PERSON NAMED IN
NOTE: Sign only when all items have been checked	Verify Check Crush point hazard	GOL- L
Plant check by:	sign displayed Verify Check	
Position:	both sides Handrails	
Date: / /	Steps	Instructions:
		Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite. Check Box to be ticked after visual inspection by Manildra
		enest 25 to 25 to 15 to



SA-P-270 1.0.A 06/09/2023 Page **11** of 18


7. MOBILE PLANT BUCKET TRENCHER (DITCH WITCH)

Supplier Verification & Plant Details	Verify Check	Verify Check
M . O	Cleanliness	Horn Archar Flashing Bassar
Plant Owner:	Seat – Adjustments secure	Amber Flashing Beacon Reversing Alarm
Address:	Operator Restraint	
G': /0.1 1	Instruments & Labelling	Verify Check WARNING SIGNS (In Cabin)
City/Suburb:	Levers / Controls	SEAT BELTS MUST BE WORN
Phone:	Verify Check Pedals	Verify Check
Dlant Malan	Emergency Stop Buttons Emergency Stop ROPS AS2294	DANGER – BEWARE UNDERGROUND WIRES & SERVICES
Plant Make:	(both sides) Windows / Wipers / Washers if	BEFORE YOU DIG AUSTRALIA
Plant Model:	fitted	Verify Check
Serial No.:	Verify Check	verny Check
Scriar IVO	Crumber Bar	Exhaust Verify Check
Signature:		A verny cneck
Date:		Engine Guarding
Statement of Operator Competence – Required	Verify Check Positive Chain	
	Guarding	
 Plant to conform to manufacturer's specifications and Plant Regs. Plant Operator is to provide daily check sheets to Manildra on a 		Verify Check
weekly basis Where applicable, Personal Protective Equipment must be worn.		Linkages Linkages
Plant Log Book Detailing service history in accordance with Manufacturer's specifications should be written legibly in	Verify Check	
English.	Rams	
■ Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, Detailed Log Book	Hoses Verify Check Connections Linkages and Chain	
	(check for excessive Pins in good condition	
Manildra Use Only	wear, leaks and creep)	Verify Check
NOTE: Sign only when all items have been checked	Verify Check	Rams
	Verify Check Tyres	Verify Check Hoses Handrails Connections
Plant Check By:	CRUSH POINTS Wheels	Steps Connections Connections (check for excessive wear,
Position:	KEEP CLEAR Brakes	leaks and creep)
Date: / /		Instructions: Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite.
	(Signs on both sides of vehicle)	Check Box to be ticked after visual inspection by Manildra



SA-P-270 1.0.A 06/09/2023 Page **12** of 18

8. MOBILE PLANT BACKHOE





SA-P-270 1.0.A 06/09/2023 Page **13** of 18

9. MOBILE PLANT ARTICULATED DUMP TRUCK

Supplier verification & Plant details	Verify Check	Verify Check Warning devices
	Cleanliness	Horn
Plant owner:	Seat condition OK	Reversing alarm
A 11	Operator restraint provided	
Address:	Instruments operational & labeled	Warning signs (in cabin)
City/Suburb:	Levers / controls operational	Verify Check
	Pedals in good condition	SEAT BELTS MUST BE WORN
Phone:	ROPS to AS 2294	
Plant make:	Windows / wipers / washers	Verify Check
Plant make:	Rear view mirrors	Exhaust
Plant model:	Operator instruction	EARIBUST .
Serial no.: Signature:	(Available on plant)	
Date:	Control of the last of the las	V V √
Statement of operator competence required		
Plant to conform to manufacturer's specifications and Plant Regulations. Plant operator is to provide daily check sheets to Manildra on a weekly basis Where applicable, Personal Protective Equipment must be worn. Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in English. Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book.	Verify Check Tyres Wheels	
Manildra use only	Brakes Park brake Verify Check	Verify Check
NOTE: Sign only when all items have been checked	Handrails KEEP CL	
Plant check by:	Steps	Connections L
	(signs on both	(Check for excessive wear,
Position:	of v	vehicle) leaks and creep)
Date: / /	Note : Plant to be registered if used on public	Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite. Check Box to be ticked after visual inspection by Manildra



SA-P-270 1.0.A 06/09/2023 Page **14** of 18

10. MOBILE PLANT SKID STEER LOADER

Supplier verification & Plant details	Verify Check Cab
	Cleanliness
Plant owner:	Seat
. 11	Operator restraint
Address:	Instruments & labeling Verify Check Warning signs (in cabin)
City/Suburb:	Levers / Controls
	Pedals Protective mesh
Phone:	Poor view mirrors
Plant make:	ROPS to AS 2294 DANGER – BEWARE OVERHEAD WIRES
	Operator instructions
Plant model:	(Available on plant)
Serial no.:	Verify Check Hydraulics Exhaust
Circustom	Rams Verify Check
Signature:	Hoses Connections Engine guarding
Date:	Connections (check for excessive wear.
	Verify Check leaks and creep)
	Pivots
 Plant to conform to manufacturer's specifications and Plant Regulations. 	Connecting rods Hydraulics Verify Check
 Plant operator is to provide daily checksheets to Manildra on a 	Safety pins Rams
weekly basis. Where applicable, Personal Protective Equipment must be worn.	(no excessive wear)
 Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in 	Connections (check for excessive wear,
English.	leaks and creep)
 Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book 	
	Verify Check
Manildra use only	Tyres Tyres
NOTE: Sign only when all items have been checked	Wheels
	Verify Check Brakes
Plant check by:	SWL / Crane chart Park brake
Position:	
Date: / /	Instructions:
	Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite.
	Check Box to be ticked after visual inspection by Manildra



SA-P-270 1.0.A 06/09/2023 Page **15** of 18

11. MOBILE PLANT SCISSOR LIFT

Supplier verification & Plant details		Verify Check Warning devi	Ces Verit	fy Check Basket
Plant owner:	Verify Check	Horn Amber flashing be	eacon (when onsite)	Cleanliness
riant owner.	Levers / controls	Reversing alarm	when onsite)	Instruments & labeling Levers / controls basket &
Address:	Levers / controls	Head, tail & turn i	ndicators Verify Check	base
City/Suburb:	1		 	Pedals Log book
Phone:	•	-	Self closing gate	Operation instruction
r none.				(Available on plant)
Plant make:				Verify Check
Plant model:			Safety v	vorking load
Serial no.:				
Signature:	Verify Pivots		Verify Check	
Date:	Connecting rods		WARNING &	RESTRICTION SIGNS
Statement of operator competence required	Safety pins			
Plant to conform to manufacturer's specifications and Plant Regulations.				
Plant operator is to provide daily check sheets to Manildra on a weekly basis	Verify Rams		Safety prop Verify CI	heck
Where applicable, Personal Protective Equipment must be worn.	Hoses		under scissor	
 Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in English. 	Connections		Exhaust Verify Che	eck
Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book	(check for excessive		(if applicable)	\neg
* ' ' '	-		(II applicable)	
Manildra use only			Ver	ify Check
NOTE: Sign only when all items have been checked			Tyres	
			Wheels	
Plant check by:		- B	Brakes Park brake	-
Position:			<u> </u>	
Date: / /	Verify Che	Engine guarding	Instructions: Verify Box to be ticked by Owner / Supplier / Open	nerator prior to arrival onsite
		Engine guarding \	Check Box to be ticked by Owner / Supplier / Op	



SA-P-270 1.0.A 06/09/2023 Page **16** of 18

12. MOBILE CRANE

Supplier verification & Plant details		Verify Check Cab	Verify Check Warning devices
		Cleanliness	Horn
Plant owner:		Seat condition OK	Amber flashing beacon
		Operator restraint provided	Boyoraing clarm
Address:		Instruments operational & lab	ered
City/Suburb:		Levers / controls operational	Warning signs (in cabin) Verify Check
	Verify Check Boom	Pedals in good condition	
Phone:	Pivots	ROPS to AS 2294	SEAT BELTS MUST BE WORN
	Connecting rods	Windows / wipers / washers	Verify Check
Plant make:	Safety pins	Rear view mirrors	DANGER – BEWARE OVERHEAD WIRES,
Plant model:		Operator instruction	PIPES and SERVICES
riant model.	(no excessive wear)	(available on plant) Log book	
Serial no.:		SWL / crane chart	
		STILLY STATES STATE	Verify Check
Signature:			Engine guarding
Date:	· · ·	700	Engine guarding
SafeWork Certification – C2, C6, C1, CO	Verify Check		
Sale work certification – C2, C0, C1, C0	Hambone & wedge	F) VIII VIII VIII VIII VIII VIII VIII VI	Verify Check
Plant to conform to manufacturer's specifications and Plant			
Regulations. Plant operator is to provide daily check sheets to Manildra on a	Verify Check Hydraulics		Exhaust
weekly basis	Rams		
Where applicable, Personal Protective Equipment must be worn. Plant Log Book detailing service history in accordance with	Hoses		
Manufacturer's specifications should be written legibly in	Connections		
English. Contractor must produce proof of competence of operator, e.g.,	(check for excessive		
Certificate of Competence, Licence, detailed Log Book	wear, leaks and creep)	Verify Check	
Manildra uso only		Tyres	Verify Check
Manildra use only		Wheels Verify Ch	Slew radius / barricading
NOTE: Sign only when all items have been checked		Brakes	for around outriggers L————————————————————————————————————
110121 Sign only when an items have even encoured		Park brake	Vonify, Cheek
Plant check by:	Verify Check		Steps Outriggers & rams
Position:	Slings / ropes / chains (tagg	ged and in good working order)	operational
Date: / /	Electrical wiring (no visual si	igns of damage)	Instructions:
Date.	Steel or timber pads		Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite.
			Check Box to be ticked after visual inspection by Manildra



SA-P-270 1.0.A 06/09/2023 Page **17** of 18

13. GRADER

Supplier verification & Plant details	Verify Check Cab		Verify Check	Warning devices
	Cleanliness	•		Horn
Plant owner:	Seat condit	ion OK		Amber flashing beacon <12t
Address:	Operator re	straint provided		Reversing alarm
Address:		operational & labeled		Warning signs (in cabin)
City/Suburb:	 	ntrols operational ood condition	Verify Check	SEAT BELTS MUST BE WORN
Phone:	ROPS to A			SEAT BELTS MUST BE WORN
r none.		wipers / washers	Verify Check	SAFE WORK LIMIT ON BATTERS
Plant make:	Rear view i			Ratio 2 to 1 Ratio 2 to 1
Dlant and Jal.	Operator in	structions		
Plant model:	(available o	n plant)		
Serial no.:	Verify Check Hydraulics	0 1		example only. As per manufacturer's specification
S:	Rams			Verify Check
Signature:	Hoses			Exhaust
Date:	Connections (check for excessive wear.	作。 一次 一次 一次 一次 一次 一次 一次 一次 一次 一次	I I I TO	
Statement of operator competence required	leaks and creep)			Verify Check
Plant to conform to manufacturer's specifications and Plant	- ************************************	A PAR		Engine guarding
Regulations.		The state of the s	E. al. " all	Verify Check
 Plant operator is to provide daily check sheets to Manildra on a weekly basis. 			HI'M	Drive guards
Where applicable, Personal Protective Equipment must be worn. Plant Log Book detailing service history in accordance with				Drive guards
Manufacturer's specifications should be written legibly in		1601	A	
English. Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book			-	
Certificate of Competence, Licence, detailed Log Book	Ota anima		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
Manildra use only	Verify Check Steering			Verify Check
	Unions	//		Tyres
NOTE: Sign only when all items have been checked	Rods	Verify Check	Verify	Check Wheels
Plant check by:	Connections	Pivots	Handrails	Brakes
Position:		Pins Connections	Steps	Park brake
Date: / /		Safety pins	ructions:	
	Note: Digette be appleted if your	Veri	fy box to be ticked by Owner / Sup ck box to be ticked after visual i	plier / Operator prior to arrival onsite.
	Note: Plant to be registered if used	on public roads	To be defined and. Flower	



SA-P-270 1.0.A 06/09/2023 Page **18** of 18

14. FORK

Supplier verification & Plant details	Verify Check	Verify Check
	Cleanliness	Horn
Plant owner:	Seat condition OK	Amber flashing beacon
Address:	Operator restraint provided	Reversing alarm
Address.	Instruments operational & labelled	
City/Suburb:	Levers / controls operational	Verify Check
	Pedals in good condition ROPS to AS 2294	SEAT BELTS MUST BE WORN
Phone:	Windows / wipers / washers	Verify Check
Plant make:	Rear view mirrors	DANGER - BEWARE OVERHEAD WIRES,
	Operator instruction	PIPES and SERVICES
Plant model:	(Available on plant)	Verify Check
Serial no.:		Exhaust
Signature:	V. Y. C. I	Verify Check
Date:	Verify Check Rams	Engine guarding
SafeWork Certification - LF	Hoses	
	Connections	
 Plant to conform to manufacturer's specifications and Plant Regulations. 	(check for excessive wear,	
 Plant Operator is to provide daily check sheets to Manildra on a 	leaks and creep)	
weekly basis. Where applicable, Personal Protective Equipment must be worn.		
Plant Log Book detailing service history in accordance with Manufacturer's specifications should be written legibly in		[[A]] _[Ø]•_
English.		
 Contractor must produce proof of competence of operator, e.g., Certificate of Competence, Licence, detailed Log Book. 		Verify Check
Manildra use only		Unions
iviamidia dec omy		Rods
NOTE: Sign only when all items have been checked		Connections
Plant check by:		
Position:		
		Instructions:
Date: / /	Note : Plant to be registered if used on public roads	Verify Box to be ticked by Owner / Supplier / Operator prior to arrival onsite.
		Check Box to be ticked after visual inspection by Manildra

